

7-120. Approval of Site-Specific Performance Evaluation Test Plan (1200 TN 406 7-120)

1. AUTHORITY. To approve or disapprove site-specific performance evaluation test plans submitted before conducting a required Continuous Monitoring System (CMS) performance evaluation pursuant to Sections 112(d), 112(f) and 112(h) of the Clean Air Act (CAA).

2. TO WHOM DELEGATED. Director, Air and Radiation Division (ARD), Director, Land, Chemicals and Redevelopment Division (LCRD) and Director, Enforcement and Compliance Assurance Division (ECAD).

3. LIMITATIONS.

- a. The Director, LCRD may exercise this authority only for hazardous waste combustor MACT facilities.
- b. The Director, LCRD, and the Director, ECAD, must consult with the ARD delegatee before exercising this authority.

4. REDELEGATION AUTHORITY.

- a. This authority may not be redelegated without formal amendment.
- b. An official who redelegates an authority retains the right to exercise or withdraw the authority. Redelegated authority may be exercised by any official in the chain of command down to the official to whom it has been specifically redelegated.

5. ADDITIONAL REFERENCES.

- a. 40 CFR § 63.8 (c) (1) (iii), 40 CFR § 63.8 (e) (1), and 40 CFR § 63.8 (e) (3).
- b. Section 112 of the Clean Air Act.

6. SUPERSESSION. Delegations Manual, CAA, Regional Delegation 7-120. Approval of Site-Specific Performance Evaluation Test Plan, 1200 TN RIII 207 (April 15, 2019).

Date: 12-17-2019



Cosmo Servidio
Regional Administrator